


## DRFB Series - Hose reel w/ safety retraction - PU/PVC hose



Description						
Reference	ID/OD (mm)	Length (m)	Coupler	Fixed inlet (mm)	Flow rate (l/min)	Weight (kg)
<b>DRFB 0812BS</b>	8 x 12	12	BSI 06	8 x 12	500	6
<b>DRFB 0815BS</b>	8 x 12	15	BSI 06	8 x 12	350	7
<b>DRFB 1010BS</b>	10 x 14	10	BSI 06	10 x 14	750	5.7
<b>DRFB 1012BS</b>	10 x 14	12	BSI 06	10 x 14	750	6.8
<b>DRFB 0812ES</b>	8 x 12	12	ESI 07	8 x 12	500	6
<b>DRFB 0815ES</b>	8 x 12	15	ESI 07	8 x 12	350	7

Reference	ID/OD (mm)	Length (m)	Coupler	Fixed inlet (mm)	Flow rate (l/min)	Weight (kg)
<b>DRFB 1010ES</b>	10 x 14	10	ESI 07	10 x 14	900	5.7
<b>DRFB 1012ES</b>	10 x 14	12	ESI 07	10 x 14	800	6.8
<b>DRFB 0812IS</b>	8 x 12	12	ISI 06	8 x 12	500	6
<b>DRFB 0815IS</b>	8 x 12	15	ISI 06	8 x 12	350	7
<b>DRFB 1010IS</b>	10 x 14	10	ISI 06	10 x 14	833	5.7
<b>DRFB 1012IS</b>	10 x 14	12	ISI 06	10 x 14	800	6.8
<b>DRFB 0812CS</b>	8 x 12	12	CSI 06	8 x 12	500	6
<b>DRFB 0815CS</b>	8 x 12	15	CSI 06	8 x 12	350	7
<b>DRFB 1010CS</b>	10 x 14	10	CSI 06	10 x 14	833	5.7
<b>DRFB 1012CS</b>	10 x 14	12	CSI 06	10 x 14	800	6.8
<b>DRFB 0812AS</b>	8 x 12	12	ASI 06	8 x 12	500	6
<b>DRFB 0815AS</b>	8 x 12	15	ASI 06	8 x 12	350	7
<b>DRFB 1010AS</b>	10 x 14	10	ASI 06	10 x 14	800	5.7

Reference	ID/OD (mm)	Length (m)	Coupler	Fixed inlet (mm)	Flow rate (l/min)	Weight (kg)
<b>DRFB 1012AS</b>	10 x 14	12	ASI 06	10 x 14	800	6.8



### Dimensions

Reference	A mm	B mm
<b>DRFB 0812BS</b>	340	302
<b>DRFB 0815BS</b>	370	337
<b>DRFB 1010BS</b>	340	302
<b>DRFB 1012BS</b>	370	337
<b>DRFB 0812ES</b>	340	302
<b>DRFB 0815ES</b>	370	337
<b>DRFB 1010ES</b>	340	302
<b>DRFB 1012ES</b>	370	337
<b>DRFB 0812IS</b>	340	302
<b>DRFB 0815IS</b>	370	337
<b>DRFB 1010IS</b>	340	302
<b>DRFB 1012IS</b>	370	337
<b>DRFB 0812CS</b>	340	302
<b>DRFB 0815CS</b>	370	337
<b>DRFB 1010CS</b>	340	302
<b>DRFB 1012CS</b>	370	337

Reference	A mm	B mm
<b>DRFB 0812AS</b>	340	302
<b>DRFB 0815AS</b>	370	337
<b>DRFB 1010AS</b>	340	302
<b>DRFB 1012AS</b>	370	337