


DRFB Series - Hose reel w/ safety retraction - PU/PVC hose



Description						
Reference	ID/OD (mm)	Length (m)	Coupler	Fixed inlet (mm)	Flow rate (l/min)	Weight (kg)
DRFB 0812BS	8 x 12	12	BSI 06	8 x 12	500	6
DRFB 0815BS	8 x 12	15	BSI 06	8 x 12	350	7
DRFB 1010BS	10 x 14	10	BSI 06	10 x 14	750	5.7
DRFB 1012BS	10 x 14	12	BSI 06	10 x 14	750	6.8
DRFB 0812ES	8 x 12	12	ESI 07	8 x 12	500	6
DRFB 0815ES	8 x 12	15	ESI 07	8 x 12	350	7

Reference	ID/OD (mm)	Length (m)	Coupler	Fixed inlet (mm)	Flow rate (l/min)	Weight (kg)
DRFB 1010ES	10 x 14	10	ESI 07	10 x 14	900	5.7
DRFB 1012ES	10 x 14	12	ESI 07	10 x 14	800	6.8
DRFB 0812IS	8 x 12	12	ISI 06	8 x 12	500	6
DRFB 0815IS	8 x 12	15	ISI 06	8 x 12	350	7
DRFB 1010IS	10 x 14	10	ISI 06	10 x 14	833	5.7
DRFB 1012IS	10 x 14	12	ISI 06	10 x 14	800	6.8
DRFB 0812CS	8 x 12	12	CSI 06	8 x 12	500	6
DRFB 0815CS	8 x 12	15	CSI 06	8 x 12	350	7
DRFB 1010CS	10 x 14	10	CSI 06	10 x 14	833	5.7
DRFB 1012CS	10 x 14	12	CSI 06	10 x 14	800	6.8
DRFB 0812AS	8 x 12	12	ASI 06	8 x 12	500	6
DRFB 0815AS	8 x 12	15	ASI 06	8 x 12	350	7
DRFB 1010AS	10 x 14	10	ASI 06	10 x 14	800	5.7

Reference	ID/OD (mm)	Length (m)	Coupler	Fixed inlet (mm)	Flow rate (l/min)	Weight (kg)
DRFB 1012AS	10 x 14	12	ASI 06	10 x 14	800	6.8



Dimensions

Reference	A mm	B mm
DRFB 0812BS	340	302
DRFB 0815BS	370	337
DRFB 1010BS	340	302
DRFB 1012BS	370	337
DRFB 0812ES	340	302
DRFB 0815ES	370	337
DRFB 1010ES	340	302
DRFB 1012ES	370	337
DRFB 0812IS	340	302
DRFB 0815IS	370	337
DRFB 1010IS	340	302
DRFB 1012IS	370	337
DRFB 0812CS	340	302
DRFB 0815CS	370	337
DRFB 1010CS	340	302
DRFB 1012CS	370	337

Reference	A mm	B mm
DRFB 0812AS	340	302
DRFB 0815AS	370	337
DRFB 1010AS	340	302
DRFB 1012AS	370	337