


DLO series - Extra large - Rubber hose



<u>ID/OD (mm)</u> 13 x 20	<u>Length (m)</u> 30	<u>Coupler</u> ISI 11EB	<u>Flow rate (l/min)</u> 850
<u>Swivel inlet BSPP male thread</u> G 1/2	<u>Weight (kg)</u> 39	<u>Technology</u> Pipe locked with ratchet stop	<u>Max operating pressure</u> 12 bar
<u>Construction</u> Epoxy-coated steel case	<u>Connection</u> 1 m of inlet supply hose	<u>Equipped with</u> Fixed bracket	

Description

Reference	ID/OD (mm)	Length (m)	Coupler	Flow rate (l/min)	Swivel inlet BSPP male thread	Weight (kg)
DLO 1330ES	13 x 20	30	ESI 11EB	850	G 1/2	39
DLO 1625ES	16 x 23	25	ESI 11EB	1700	G 1/2	39
DLO 1920ES	19 x 27	20	ESI 11EB	2400	G 1	42
DLO 1330IS	13 x 20	30	ISI 11EB	850	G 1/2	39
DLO 1625IS	16 x 23	25	ISI 11EB	1700	G 1/2	41
DLO 1920IS	19 x 27	20	ISI 11EB	2400	G 1	42



Dimensions		
Reference	A mm	B mm
DLO 1330ES	615	610
DLO 1625ES	615	610
DLO 1920ES	615	610
DLO 1330IS	615	610
DLO 1625IS	615	610
DLO 1920IS	615	610