

AIRCA hose extension with prevoS1 safety quick release couplers



| | | | |
|-----------------------------|---------------------------------------|--|--------------------------------------|
| ID/OD (mm) 8 x 15 | Length (m) 10 | Profile British | Coupler BSI 06 |
| Adaptor BRP 06 | Equipped with Protector | Operating pressure 2 to 12 bar | Temperature -15°C to +70°C |
| Construction EPDM | Highlight Resistant to oils | | |

| Description | | | | | | |
|------------------------|------------|------------|---------|---------|---------|---------------|
| Reference | ID/OD (mm) | Length (m) | Profile | Coupler | Adaptor | Equipped with |
| RAL ABSB810 | 8 x 15 | 10 | British | BSI 06 | BRP 06 | Protector |
| RAL ABSB105 | 10 x 18 | 5 | British | BSI 06 | BRP 06 | Protector |

| Reference | ID/OD (mm) | Length (m) | Profile | Coupler | Adaptor | Equipped with |
|--------------------------|------------|------------|------------------|----------|---------|---------------|
| RAL ABSB1010 | 10 x 18 | 10 | British | BSI 06 | BRP 06 | Protector |
| RAL AESB810 | 8 x 15 | 10 | European 7.4 mm | ESI 07 | ERP 07 | Protector |
| RAL AESB105 | 10 x 18 | 5 | European 7.4 mm | ESI 07 | ERP 07 | Protector |
| RAL AESB1010 | 10 x 18 | 10 | European 7.4 mm | ESI 07 | ERP 07 | Protector |
| RAL AESB1310 | 13 x 22 | 10 | European 7,4 mm | ESI 07 | ERP 07 | Protector |
| RAL AES1310 | 13 x 22 | 10 | European 7.4 mm | ESI 07 | ERP 07 | - |
| RAL AESB1320 | 13 x 22 | 20 | European 7,4 mm | ESI 07 | ERP 07 | Protector |
| RAL AESEB1310 | 13 x 22 | 10 | European 10,4 mm | ESI 11EB | ERP 07 | Protector |
| RAL AESEB1320 | 13 x 22 | 20 | European 10,4 mm | ESI 11EB | ERP 11 | Protector |
| RAL AESEB1620 | 16 x 25 | 20 | European 10,4 mm | ESI 11EB | ERP 11 | Protector |
| RAL AESE1910 | 19 x 28 | 10 | European 10,4 mm | ESI 11EB | ERP 11 | - |
| RAL AESE1920 | 19 x 28 | 20 | European 10,4 mm | ESI 11EB | ERP 11 | - |
| RAL AESEB1610 | 16 x 25 | 10 | European 10,4 mm | ESI 11EB | ERP 11 | Protector |

| Reference | ID/OD (mm) | Length (m) | Profile | Coupler | Adaptor | Equipped with |
|-------------------------|------------|------------|------------|---------|---------|---------------|
| RAL AISB810 | 8 x 15 | 10 | ISO 6150 B | ISI 06 | IRP 06 | Protector |
| RAL AISB105 | 10 x 18 | 5 | ISO 6150 B | ISI 06 | IRP 06 | Protector |
| RAL AISB1010 | 10 x 18 | 10 | ISO 6150 B | ISI 06 | IRP 06 | Protector |
| RAL AIS1310 | 13 x 22 | 10 | ISO 6150 B | ISI 08 | IRP 08 | - |
| RAL ACSB810 | 8 x 15 | 10 | ISO 6150 C | CSI 06 | CRP 06 | Protector |
| RAL ACSB105 | 10 x 18 | 5 | ISO 6150 C | CSI 06 | CRP 06 | Protector |
| RAL ACSB1010 | 10 x 18 | 10 | ISO 6150 C | CSI 06 | CRP 06 | Protector |
| RAL ACS1310 | 13 x 22 | 10 | ISO 6150 C | CSI 08 | CRP 08 | - |
| RAL AASB810 | 10 x 18 | 5 | ARO 210 | ASI 06 | ARP 06 | Protector |
| RAL AASB105 | 10 x 18 | 5 | ARO 210 | ASI 06 | ARP 06 | Protector |
| RAL AASB1010 | 10 x 18 | 10 | ARO 210 | ASI 06 | ARP 06 | Protector |

