


Air ratchet wrench



<p><u>Square driver</u> (1) 1/4"</p>	<p><u>Max. screw/unscrew torque (Nm)</u> 27</p>	<p><u>Consumption (l/min)</u> 103</p>	<p><u>Rotation speed (rpm)</u> 200</p>
<p><u>BSPT female thread</u> R 1/4</p>	<p><u>Sound level (dB(A))</u> 86.4</p>	<p><u>Weight (kg)</u> 0.5</p>	<p><u>Max operating pressure</u> 6,2 bar</p>
<p><u>Applications</u> Fitting and removal of bolts and screws</p>	<p><u>Highlight</u> Tightening capacity</p>	<p><u>Connection</u> Supplied with 3 adaptors: ISO 6150 B; European 7,4 mm; ARO 210</p>	

Description

Reference	Square driver	Max. screw/unscrew torque (Nm)	Consumption (l/min)	Rotation speed (rpm)	BSPT female thread	Sound level (dB(A))	Weight (kg)
TRW 14027	(1) 1/4"	27	103	200	R 1/4	86.4	0.5
TRW 38070	(2) 3/8"	68	113	160	R 1/4	91	1.4
TRW 12070	(2) 1/2"	70	113	160	R 1/4	91	1.4
TRW 12160	(3) 1/2"	163	119	600	R 1/4	95	1.76



Dimensions

Reference	A mm	B mm
TRW 14027	140	50
TRW 38070	265	70
TRW 12070	265	70
TRW 12160	350	60