


PPS - Aluminium blue pipe for compressed air



<p><u>Pipe OD (mm)</u></p> <p>16</p>	<p><u>Length (m)</u></p> <p>4</p>	<p><u>Technology</u></p> <p>PPS Grip Concept</p>	<p><u>Operating pressure</u></p> <p>0 to 16 bar</p>
<p><u>Vacuum capability</u></p> <p>-0.98 bar (vacuum 98%)</p>	<p><u>Temperature</u></p> <p>-20°C to +80°C</p>	<p><u>Construction</u></p> <p>Pipe and fittings: alu.</p>	<p><u>Highlight</u></p> <p>Scalable system</p>
<p><u>Meets standards</u></p> <p>PED REACH</p>			

Description		
Reference	Pipe OD (mm)	Length (m)
PPS BTU1640	16	4
PPS BTU2040	20	4
PPS BTU2055	20	5.5
PPS BTU2540	25	4
PPS BTU2555	25	5.5
PPS BTU3240	32	4
PPS BTU3255	32	5.5
PPS BTU4040	40	4

Reference	Pipe OD (mm)	Length (m)
PPS BTU4055	40	5.5
PPS BTU5055	50	5.5
PPS BTU6355	63	5.5
PPS BTU8055	80	5.5
PPS BTU10055	100	5.5
PPS BTU16055	160	5,5



Dimensions	
Reference	A mm
PPS BTU1640	1.3
PPS BTU2040	1.3
PPS BTU2055	1.3
PPS BTU2540	1.4
PPS BTU2555	1.4
PPS BTU3240	1.5
PPS BTU3255	1.5
PPS BTU4040	1.8
PPS BTU4055	1.8
PPS BTU5055	2
PPS BTU6355	2
PPS BTU8055	2.4
PPS BTU10055	2.8
PPS BTU16055	4