


## Treated steel double ear o clips



<u>Ø min./max. (mm)</u> 07 - 09	<u>Band width (mm)</u> 6	<u>Packaging</u> 100	<u>Highlight</u> Tamperproof clamp
------------------------------------	-----------------------------	-------------------------	---------------------------------------

Description			
Reference	Ø min./max. (mm)	Band width (mm)	Packaging
<b>0709</b>	07 - 09	6	100
<b>0911</b>	09 - 11	7	100
<b>1113</b>	11 - 13	7	100
<b>1315</b>	13 - 15	7	100
<b>1517</b>	14 - 17	7	100

Reference	Ø min./max. (mm)	Band width (mm)	Packaging
<b>1518</b>	15 - 18	7	100
<b>1720</b>	17 - 20	7	100
<b>1821</b>	18 - 21	7	100
<b>2023</b>	20 - 23	8	100
<b>2225</b>	22 - 25	9	100
<b>2327</b>	23 - 27	9	100
<b>2528</b>	25 - 28	9	100
<b>2731</b>	28 - 31	9	100
<b>3134</b>	31 - 34	9	100
<b>3437</b>	34 - 37	9	100
<b>3740</b>	37 - 40	10	50
<b>4043</b>	40 - 43	10	50
<b>4346</b>	43 - 46	10	50



### Dimensions

Reference	A mm	B mm
<b>0709</b>	9.3	3
<b>0911</b>	11.3	3
<b>1113</b>	13.3	3.5
<b>1315</b>	15.3	3.5
<b>1517</b>	17.5	4.5
<b>1518</b>	18.5	4.5
<b>1720</b>	20.5	5.5
<b>1821</b>	21.5	5.5
<b>2023</b>	23.5	5.5
<b>2225</b>	25.5	6
<b>2327</b>	27.5	6.5
<b>2528</b>	28.5	7
<b>2731</b>	31.5	7
<b>3134</b>	34.5	7.5
<b>3437</b>	37.5	7.5

Reference	A mm	B mm
<b>3740</b>	40.5	8
<b>4043</b>	43.5	8.5
<b>4346</b>	46.5	8.5