


## Clamps - Standard 12 mm band



<u>Ø min./max. (mm)</u> 15 - 24	<u>Tightening screw (Nm)</u> 4 - 4.5	<u>Band width (mm)</u> 12	<u>Packaging (Cardboard box)</u> 50
<u>Construction</u> Treated zinc-plated steel			

Description				
Reference	Ø min./max. (mm)	Tightening screw (Nm)	Band width (mm)	Packaging (Cardboard box)
<b>PBS12 1524</b>	15 - 24	4 - 4.5	12	50
<b>PBS12 1928</b>	19 - 28	4 - 4.5	12	50
<b>PBS12 2232</b>	22 - 32	4 - 4.5	12	50
<b>PBS12 2638</b>	26 - 38	4 - 4.5	12	25

Reference	Ø min./max. (mm)	Tightening screw (Nm)	Band width (mm)	Packaging (Cardboard box)
<b>PBS12 3244</b>	32 - 44	5 - 6	12	25
<b>PBS12 3850</b>	38 - 50	5 - 6	12	25
<b>PBS12 4456</b>	44 - 56	5 - 6	12	25
<b>PBS12 5065</b>	50 - 65	5 - 6	12	25
<b>PBS12 5875</b>	58 - 75	5 - 6	12	25
<b>PBS12 6885</b>	68 - 85	5 - 6	12	1
<b>PBS12 7795</b>	77 - 95	5 - 6	12	1
<b>PBS12 87112</b>	87 - 112	5 - 6	12	1
<b>PBS12 104138</b>	104 - 138	5 - 6	12	1
<b>PBS12 130165</b>	130 - 165	5 - 6	12	1
<b>PBS12 150180</b>	150 - 180	5 - 6	12	1
<b>PBS12 175205</b>	175 - 205	5 - 6	12	1
<b>PBS12 200231</b>	200 - 231	5 - 6	12	1
<b>PBS12 226256</b>	226 - 256	5 - 6	12	1
<b>PBS12 251282</b>	251 - 282	5 - 6	12	1
<b>PBS12 277307</b>	277 - 307	5 - 6	12	1



7 mm



### Dimensions

Reference	A mm	B mm
<b>PBS12 1524</b>	0.866	
<b>PBS12 1928</b>	0.906	
<b>PBS12 2232</b>	0.984	

Reference	A mm	B mm
<b>PBS12 2638</b>	0.984	
<b>PBS12 3244</b>	29	1
<b>PBS12 3850</b>	1.142	0.039
<b>PBS12 4456</b>	1.142	0.039
<b>PBS12 5065</b>	1.26	0.039
<b>PBS12 5875</b>	1.26	0.039
<b>PBS12 6885</b>	1.26	0.039
<b>PBS12 7795</b>	1.26	0.039
<b>PBS12 87112</b>	1.26	0.039
<b>PBS12 104138</b>	1.26	0.039
<b>PBS12 130165</b>	1.26	0.039
<b>PBS12 150180</b>	1.26	0.039
<b>PBS12 175205</b>	1.26	0.039
<b>PBS12 200231</b>	1.26	0.039
<b>PBS12 226256</b>	1.26	0.039
<b>PBS12 251282</b>	1.26	0.039
<b>PBS12 277307</b>	1.26	0.039