


Clamps - Standard 9 mm band



<u>Ø min./max. (mm)</u> 08 - 14	<u>Tightening screw (Nm)</u> 2.5 - 3.5	<u>Band width (mm)</u> 9	<u>Packaging (Cardboard box)</u> 100
<u>Construction</u> Treated zinc-plated steel			

Description				
Reference	Ø min./max. (mm)	Tightening screw (Nm)	Band width (mm)	Packaging (Cardboard box)
PBS9 814	08 - 14	2.5 - 3.5	9	100
PBS9 1117	11 - 17	2.5 - 3.5	9	100
PBS9 1320	13 - 20	3 - 4	9	100
PBS9 1524	15 - 24	3 - 4	9	50

Reference	Ø min./max. (mm)	Tightening screw (Nm)	Band width (mm)	Packaging (Cardboard box)
PBS9 1928	19 - 28	3 - 4	9	50
PBS9 2232	22 - 32	3 - 4	9	50
PBS9 2638	26 - 38	4 - 4,5	9	25
PBS9 3244	32 - 44	4 - 4.5	9	25
PBS9 3850	38 - 50	4 - 4.5	9	25
PBS9 4456	44 - 56	4 - 4.5	9	25
PBS9 5065	50 - 65	4 - 4.5	9	25



Dimensions

Reference	A mm	B mm
PBS9 814	0.787	
PBS9 1117	20	0.8
PBS9 1320	20	0.8
PBS9 1524	0.945	

Reference	A mm	B mm
PBS9 1928	0.945	
PBS9 2232	0.945	
PBS9 2638	0.945	
PBS9 3244	1.142	
PBS9 3850	1.142	
PBS9 4456	1.142	
PBS9 5065	1.26	