


Split clamps 9 mm band



<u>Ø min./max. (mm)</u>	<u>Tightening screw (Nm)</u>	<u>Band width (mm)</u>	<u>Packaging (Box quantity)</u>
10 - 16	3	8	100
<u>Construction</u>			
Treated zinc-plated steel			

Description				
Reference	Ø min./max. (mm)	Tightening screw (Nm)	Band width (mm)	Packaging (Box quantity)
PBJ9 1016	10 - 16	3	8	100
PBJ9 1222	14 - 24	3	8	100
PBJ9 1627	18 - 28	3	8	50
PBJ9 2335	24 - 36	3	8	50
PBJ9 3045	25 - 45	3	8	25

Reference	Ø min./max. (mm)	Tightening screw (Nm)	Band width (mm)	Packaging (Box quantity)
PBJ9 3250	32 - 52	3	8	25
PBJ9 5070	47 - 67	4	8	25
PBJ9 7090	77 - 97	4	8	10



Dimensions

Reference	A mm	B mm	C mm	D mm
PBJ9 1016	18	0.7	8.7	12
PBJ9 1222	18	0.7	8.7	12
PBJ9 1627	18	0.7	8.7	12
PBJ9 2335	18	0.7	8.7	12
PBJ9 3045	18	0.7	8.7	12
PBJ9 3250	18	0.7	8.7	12
PBJ9 5070	18	0.7	8.7	12
PBJ9 7090	18	0.7	8.7	12