


Clamps with rubber lining and 15 mm band



<u>Diameter (mm)</u> 6	<u>Band width (mm)</u> 15	<u>Packaging</u> 50	<u>Construction</u> Galvanized steel clamp
<u>Highlight</u> Diminution of vibrations			

Description			
Reference	Diameter (mm)	Band width (mm)	Packaging
PBC 156	6	15	50
PBC 158	8	15	50
PBC 1510	10	15	50
PBC 1512	12	15	50
PBC 1515	15	15	50
PBC 1520	20	15	50
PBC 1522	22	15	50

Reference	Diameter (mm)	Band width (mm)	Packaging
PBC 1525	25	15	50
PBC 1528	28	15	50
PBC 1530	30	15	50
PBC 1532	32	15	50
PBC 1535	35	15	50
PBC 1538	38	15	50
PBC 1540	40	15	50



Dimensions

Reference	A mm	B mm
PBC 156	13.7	1.8
PBC 158	15.2	1.8
PBC 1510	16.2	1.8
PBC 1512	17.2	1.8
PBC 1515	18.7	1.8
PBC 1520	21.2	1.8
PBC 1522	22.2	1.8
PBC 1525	23.7	1.8
PBC 1528	25.2	1.8
PBC 1530	26.2	1.8
PBC 1532	27.2	1.8
PBC 1535	28.7	1.8
PBC 1538	30.2	1.8
PBC 1540	31.2	1.8